

SUPPLEMENT TO

The Gazette



of India

No. 9]

NEW DELHI, SATURDAY, MARCH 3, 1956

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 4th February, 1956

CHOLERA						SMALLPOX						PLAGUE						CHOLERA						SMALLPOX						PLAGUS					
C.		D.		C.		D.		C.		D.		C.		D.		C.		D.		C.		D.		C.		D.		C.		D.					
STATES PART (A) & PART (C)												Assam																							
Ajmer												TOTAL																							
TOTAL												(Estd. mid-year pop. 9,817 thousands.)																							
(Estd. mid-year pop. 752 thousands.)												Total for w/c 28-1-56																							
Total for w/c 28-1-56												Total for w/c 21-1-56																							
Total for w/c 21-1-56												7-yearly mean for the week																							
7-yearly mean for the week												3																							
Andhra												Bhopal																							
Srikakulam												"N.R."																							
Visakhapatnam												Bihar																							
Godavari East												"N.R."																							
Godavari West												Bombay																							
Krishna												Greater Bombay																							
Guntur												Ahmedabad																							
Nellore												Surat																							
Kurnool												Ahmednagar																							
Cuddapah												East Khandesh																							
Anantapur												West Khandesh																							
Chittoor												Poona																							
TOTAL												Satara North																							
(Estd. mid-year pop. 21,238 thousands.)												Sholapur																							
Total for w/c 28-1-56												Ratnagiri																							
Total for w/c 21-1-56												Dangs																							
7-Yearly mean for the week												Mehsana																							
												Banaskantha																							
												TOTAL																							

Explanation of Symbols used ; C=Cases; D=Deaths; N.R.=Information not received; ..=Nil.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 4th February, 1936—*contd.*

CHOLERA								SMALLPOX								PLAGUE															
C.								D.								C.								D.							
Bombay—contd.																Madras															
(Estd. mid-year pop. 39,569 thousands.)																Chingleput															
Total for w/e 28-1-36																North Arcot															
Total for w/e 21-1-36																South Arcot															
7-yearly mean for the week.																Tirunelveli															
																Malabar.															
																South Kanara															
TOTAL																TOTAL															
(Estd. mid-year pop. 262 thousands.)																(Estd. mid-year pop. 38,273 thousands.)															
Total for w/e 28-1-36																Total for w/e 28-1-36															
Total for w/e 21-1-36																Total for w/e 21-1-36															
7-yearly mean for the week																7-yearly mean for the week															
Delhi																Manipur															
"N.R."																TOTAL															
Himachal Pradesh																(Estd. mid-year pop. 613 thousands.)															
TOTAL																Total for w/e 28-1-36															
(Estd. mid-year pop. 1,003 thousands.)																Total for w/e 21-1-36															
Total for w/e 28-1-36																															
Total for w/e 21-1-36																															
Madhya Pradesh																Orissa															
Nagpur																Cuttack															
Wardha																Balasore															
Betul																Puri															
Sagar																Bandh															
Mandla																Keonjhar															
Hoshangabad																Kalahandi															
Balaghat																TOTAL															
Raipur																(Estd. mid-year pop. 15,114 thousands.)															
Amravati																Total for w/e 28-1-36															
Akola																Total for w/e 21-1-36															
Buldana																7-yearly mean for the week															
TOTAL																															
(Estd. mid-year pop. 22,109 thousands.)																Punjab (I)															
Total for w/e 28-1-36																Rohtak															
Total for w/e 21-1-36																Ambala															
7-yearly mean for the week																Hoshiarpur															
																Ferozepur															
																TOTAL															

Explanation of Symbols used : C.—Case ; D.—Deaths ; N.R.—Information not received ; .. =Nil.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 4th February, 1956—*contd.*

CHOLERA							CHOLERA								
SMALLPOX							SMALLPOX								
PLAGUE							PLAGUE								
		C.	D.	C.	D.	C.	D.			C.	D.	C.	D.	C.	D.
Punjab (1)—contd.							Uttar Pradesh—contd.								
(Estd. mid-year pop. 12,641 thousands.)							(Estd. mid-year pop. 66,780 thousands.)								
Total for w/e 28-1-56		8	3	Total for w/e 28-1-56		110	47	5	1
Total for w/e 21-1-56		8	1	Total for w/e 21-1-56		97	39	5	1
7-yearly mean for the week		20	5	7-yearly mean for the week		156	65	86	36
Tripura							Vindhya Pradesh								
TOTAL		29	22	2	1	TOTAL	
(Estd. mid-year pop. 706 thousands.)							(Estd. mid-year pop. 3,686 thousands.)								
Total for w/e 28-1-56		..	9	6	1	Total for w/e 28-1-56	
Total for w/e 21-1-56		..	10	4	Total for w/e 21-1-56	
Uttar Pradesh							West Bengal								
Dehra Dun		11	3	..	Burdwan		1
Meerut		2	Midnapur		11	4	..
Mainpuri		1	1	..	Hooghly		..	2	2	2	2	..
Farrukhabad		8	2	..	24-Parganas		..	46	28	1
Etawah		1	..	Calcutta		..	1	1
Kanpur		4	Nadia		1
Allahabad		1	Murshidabad	
Jalaun		1	Malada		..	7	5
Banaras		1	1	..	Jalpaiguri		1
Ghazipur		2	1	..	TOTAL		..	56	36	17	6	..
Ballia		1	(Estd. mid-year pop. 26,396 thousands.)							
Basti		14	3	..	Total for w/e 28-1-56		..	95	48	22	4	..
Azamgarh		24	6	..	Total for w/e 21-1-56		..	45	26	12	4	..
Sitapur		1	7-yearly mean for the week		..	246	120	100	35	..
Kheri		3	1	..	Grand Total for States Parts (A) & (C) (excluding Bhopal, Bihar and Delhi)		271	135	730	135
Gonda		10	2	..	(Corresponding estd. mid-year pop. 2,58,959 thousands.)							
Bahraich		2	Corresponding total for w/e 28-1-56		..	152	72	822	175	5
Rampur		4	Corresponding total For w/e 21-1-56		..	94	41	899	225	5
TOTAL		90	21	..	Corresponding 7-yearly mean for the week		..	1,289	709	1,337	301	315
															63

Explanation of Symbols used : C=Cases; D=Deaths; ..=Nil information; "N.R."=Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 4th February, 1956—*contd.*

CHOLERA								CHOLERA							
SMALLPOX				PLAGUE				SMALLPOX				PLAGUE			
C.	D.	C.	D.	C.	D.			C.	D.	C.	D.	C.	D.		
STATES PART (B)								Travancore-Cochin							
Hyderabad								"N.R."							
Aurangabad	I	Grand Total for States Part (B)							
Bhir	I	3	19	7	59	21	6	1		
Nalgonda	2	3	Grand Total for States Parts (A), (B) and (C)							
Mahbubnagar	8	3	I	290	142	789	156	6	1		
Hyderabad	2	2	ARREAR INFORMATION							
Khammam	22	3	Delhi							
TOTAL	8	3	29	11	w/e 28-1-56							
Jammu and Kashmir								Delhi City	4
"N. R."								New Delhi	I
Madhya Bharat								Delhi Notified Area	I
"N.R."								TOTAL	5	I
Mysore								Saurashtra							
Chitaldrug	10	5	w/e 28-1-56 (Revised)							
Kolar	5	I	..	Gohilwad	16	11
Bellary	3	Zalawad	6	3
Tumkur	11	4	TOTAL	22	14
Mysore	I	Madhya Bharat							
TOTAL	11	4	13	5	6	I	..	w/e 28-1-56							
Patiala & East Punjab States Union								TOTAL	59	10
TOTAL								w/e 21-1-56							
Rajasthan								TOTAL	17	10
"N.R."								Bhopal							
Saurashtra								w/e 21-1-56							
Gohilwad	5	2	TOTAL	2
Zalawad	3	I	w/e 28-1-56							
Halar	4	I	TOTAL	I
Sorath	3	I	Madhya Pradesh							
TOTAL	153	5	w/e 28-1-56							
								Nagpur	62	17
								Chhindwara	42
								Betul	43
								Mandla	3	I
								Hoshangabad	9	I
								Raipur	3

Explanation of Symbols used: C = Cases ; D = Deaths ; Nil ; "N. R." = Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 4th February, 1956—*con d.*

CHOLERA		SMALLPOX		PLAGUE		CHOLERA		SMALLPOX		PLAGUE	
C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.

Madhya Pradesh—*Contd.*

Durg	6
Bhandara	43	6
Balaghat	13
Akola	29	4
Buldana	51	6
Bastar	1
TOTAL	304	36

POLIOMYELITIS

(Information based on patients treated in hospitals in important towns)

Places	Period	Cases
Greater Bombay	1—15 January 1956	3
Do.	16—31 January 1956	1
West Bengal	16—31 January 1956	3 Paretic
Punjab	16—31 January 1956	{ 12 (Paretic) 1 (Non-Paretic)

Explanation of Symbols used: C.—Cases; D.—Deaths; ..=Nil.

NEW DELHI-2 (INDIA);
The 28th February, 1956.

K. MITRA,
for Registrar General, India.

Prosper with the NATION

INVEST YOUR SAVINGS IN

GOVERNMENT OF INDIA'S *Small Savings Scheme*

and help India's

- COMMUNITY DEVELOPMENT PROGRAMME
- GREAT RIVER VALLEY PROJECTS
- SOCIAL WELFARE SCHEMES
- RAIL AND ROAD DEVELOPMENT

PUT YOUR MONEY IN ANY OF THESE ATTRACTIVE GUARANTEED SECURITIES

12-YEAR NATIONAL SAVINGS CERTIFICATES	Interest at 4.16 per cent per annum at maturity. Available in denominations of Rs. 5/- to Rs. 5,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR TREASURY SAVINGS DEPOSIT CERTIFICATES	3½ per cent interest paid annually. Available in multiples of Rs. 100/- upto Rs. 25,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR NATIONAL PLAN CERTIFICATES	Interest at 4½ per cent per annum at maturity. Issued in denominations of Rs. 25/-, Rs. 50/-, Rs. 100/- & Rs. 500/-. Individual holding upto Rs. 1,000/-.
POST OFFICE SAVINGS BANK ACCOUNTS	2 per cent interest added on deposits upto Rs. 10,000/- and 1½ per cent on balance upto Rs. 15,000/-.
15-YEAR ANNUITY CERTIFICATES	
Issue Prices: Rs. 3,500/-, Rs. 7,000/-, Rs. 14,000/- & Rs. 28,000/-. Individual holding upto Rs. 28,000/-.	Refunded together with compound interest at 3½ per cent per annum in the form of monthly payments spread over a period of fifteen years.

• YOU ARE ASSURED OF A HANDSOME RETURN FREE OF INCOME-TAX

For further particulars and/or rules governing these investments please write to the National Savings Commissioner Simla, or to the Regional National Savings Officer of your State.

INVEST IN INDIA'S FUTURE

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 4th February, 1956

TOWN	Mid.-year Popn. Est. (000)	B.	B.R.*	Deaths from —								Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.				
STATES—(Parts A and C)														
Ajmer														
"N. R."														
Andhra														
Adoni . .	63	39	32.2	2	4	..	12	9.9	4	
Anantpur . .	38	21	28.7	3	..	1	..	10	13.7	2	
Anakapalle . .	46	34	38.4	3	..	2	3	22	24.9	2	
Bhimavaram . .	36	24	34.7	2	7	10.1	2	
Chirala . .	43	25	30.2	3	11	13.3	4	
Chittoor . .	45	51	58.9	3	1	4	..	23	26.6	5	
Cuddapah . .	42	19	23.5	5	5	6	1	37	45.8	5	
Eluru . .	99	50	26.3	..	1	..	7	..	2	..	40	21.0	7	
Gudivada †														
Guntur . .	147	144	50.9	..	2	..	3	1	5	2	44	15.6	12	
Guntakal . .	37	20	28.1	3	3	1	..	11	15.5	3	
Kakinada . .	133	39	17.9	..	2	..	10	1	..	1	31	14.3	4	
Kurnool . .	68	117	89.5	..	1	..	3	3	3	..	35	26.8	6	
Masulipatnam . .	88	91	53.8	3	1	1	..	33	19.5	4	
Nandyal . .	37	17	23.9	2	2	..	11	15.5	2	
Nellore . .	95	53	29.0	3	3	6	1	27	14.8	3	
Proddatur†														
Rajahmundry . .	122	87	37.1	..	2	..	10	..	7	..	43	18.3	5	
Tenali . .	67	56	43.5	1	1	4	..	27	21.0	11	
Vijayavada . .	201	112	29.0	..	1	..	2	6	6	..	40	10.3	14	
Visakhapatnam . .	128	106	43.1	9	1	21	..	47	19.1	10	
Vijjanagaram . .	75	49	34.0	2	2	2	..	29	20.1	10	
TOTAL	15,90	11,54	37.7	2	9	..	73	32	77	8	540	16.7	115	
Assam														
Shillong†														
Gauhati†														
Dibrugarh . .	46	4	4.5	
Silchar . .	43	14	16.9	2	2	1	..	8	9.7	1	
TOTAL	89	18	10.5	2	2	1	..	8	4.7	1	
Bhopal														
Bhopal City . .	116	42	18.8	1	..	1	..	5	2.2	..	
Bihar														
"N. R."														
Bombay														
Ahmedabad . .	889	705	41.2	..	3	..	7	6	85	1	288	16.8	89	
Ahmednagar . .	88	70	41.4	3	3	3	..	29	17.1	9	
Amalner . .	50	17	17.7	6	8	8.3	1	
Bagalkot . .	36	24	34.7	2	..	1	..	8	11.5	2	
Baroda . .	242	174	37.4	10	1	13	..	54	11.6	11	
Barsi . .	46	28	31.7	5	13	14.7	3	
Belgaum . .	110	43	20.3	4	2	..	2	19	9.0	4	
Bhusawal . .	62	49	41.1	3	3	1	..	13	10.9	4	
Bijapur . .	75	24	16.6	2	..	4	..	16	11.1	7	
Broach . .	67	53	41.1	11	..	3	..	23	17.9	4	
Cambay . .	41	32	40.6	..	2	1	..	12	15.2	3	
Chalisgaon . .	35	32	47.5	6	..	1	..	12	17.8	4	
Dharwar . .	76	22	15.1	1	..	1	..	15	10.3	3	
Dhulia . .	89	73	42.7	8	..	7	..	28	16.4	8	
Gadag Betageri . .	71	42	30.8	5	..	3	2	23	16.8	4	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.=Births ; B. R.=Birth Rate ; C.=Cholera ; S.=Smallpox ; P.=Plague ; F.=Fever ; D. D.=Dysentery and Diarrhoea ; R. D.=Respiratory Diseases ; M. D.=Maternal Deaths ; D.R.=Death Rate ; I. D.=Infantile Deaths (included in total Deaths) ; ..=Nil Information ; "N. R."=Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 4th February, 1956—*contd.*

Deaths from :—

Town	Mid.-year Popn.-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Bombay—<i>contd.</i>													
Godra . . .	40	30	39.0	5	..	2	..	11	14.3	4
Greater Bombay	3,449	1,662	25.1	..	1	..	2	28	119	2	619	9.3	153
Hubli . . .	148	59	20.7	3	..	3	1	24	8.4	3
Jalgaon . . .	79	118	77.7	5	..	5	..	27	17.8	4
Kalyan . . .	73	12	8.5	3	..	2	..	10	7.1	..
Kolhapur . .	159	112	36.6	5	1	9	..	48	15.7	9
Malegaon†													
Miraj . . .	44	16	18.9	1	1	..	1	12	14.2	2
Nidlad . . .	71	29	21.2	19	..	1	..	30	21.9	10
Nandurbar . .	35	23	34.2	4	5.9	1
Nasik . . .	119	63	27.5	6	..	2	2	31	13.5	9
Navsari . . .	50	25	26.0	3	11	11.4	2
Pandharpur . .	44	37	43.7	4	3	4	..	15	17.7	7
Patan . . .	47	31	34.3	..	1	..	5	3	4	1	24	26.6	5
Poona] . . .	607	320	27.4	6	4	20	3	109	9.3	27
Sangli . . .	58	20	17.9	1	1	5	4.5	3
Satara . . .	40	20	26.0	2	..	15	19.5	3
Sholapur . . .	299	235	40.9	..	1	..	13	6	32	..	82	14.3	6
Surat . . .	250	168	34.9	..	5	..	20	3	21	1	130	27.0	49
Thana†													
TOTAL	7,589	4,368	29.9	..	13	..	174	65	349	16	1,768	12.1	452
Delhi State													
Delhi City . . .	1,124	639	29.6	51	3	54	1	201	9.3	40
New Delhi . .	374	160	22.2	4	1	5	..	98	13.6	26
N.A.C. Civil Station Delhi	117	74	32.8	..	2	..	2	2	3	..	12	5.3	3
Delhi Cantt. . .	50	19	19.8
Delhi-Shahdra . .	53	37	36.3	1	..	1	..	5	4.9	1
TOTAL	1,718	929	28.1	..	2	..	58	6	63	1	316	9.6	70
Madhya Pradesh													
Achalpur . . .	38	24	32.8	2	1	1	1	14	19.2	4
Akola . . .	104	78	39.0	8	..	3	2	35	17.5	11
Amravati . . .	101	120	61.8	10	1	2	1	37	19.0	10
Bilaspur†													
Burhanpur . . .	79	42	27.6	2	..	4	..	16	10.5	..
Chandap†													
Chindwar†													
Damoh . . .	42	25	31.0	3	1	14	7.3	..
Gondia†													
Hinanghat†													
Jabalpur†													
Khandwa . . .	59	22	19.4	2	4	3.5	..
Khangaon†													
Kamptee . . .	36	14	20.2	5	5	7.2	..
Murwar†													
Nagpur . . .	528	88	8.7	17	1	10	..	49	4.8	..
Sagar†													
Raipur†													
Raigarh†													
Wardha†													
Yeotmal . . .	41	24	30.4	4	..	1	..	15	19.0	4
TOTAL	10,28	4,537	22.1	53	4	21	4	189	9.6	29
Madras													
"N.R."													

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fevers ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil Information ; "N. R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 4th February, 1956—*contd.*

Town	Mid-year Popn. Est. (000)	Deaths from :—										Total	D.R.	I.D.
		B.	B.R.	C.	S.	P.	F.	D.D.	R.D.	M.D.				
Orissa														
Berhampur . . .	72	100	72.2	3	1	2	..	13	9.4	1	
Cuttack . . .	117	141	62.7	8	3	7	..	44	19.6	6	
Puri . . .	53	41	40.2	6	1	2	1	19	18.5	5	
TOTAL . . .	242	282	60.6	17	5	11	1	76	16.3	12	
Punjab (I)														
Ambala . . .	65	45	36.0	5	..	13	10.4	6	
Amritsar . . .	343	279	42.3	1	22	..	64	9.7	10	
Batala . . .	62	45	37.7	3	—	3	2.5	1	
Bhliwani . . .	57	50	15.6	6	..	2	..	11	10.0	1	
Ferozepore . . .	45	48	55.5	2	5	..	7	8.1	3	
Hiswar . . .	39	36	48.0	3	..	3	..	7	9.4	3	
Hoshiarpur . . .	51	31	31.6	6	6.1	1	
Jullundur . . .	200	170	44.2	4	1	14	..	28	7.3	9	
Karnal . . .	72	38	27.4	3	9	6.5	1	
Ludhlana . . .	176	192	56.7	9	..	8	..	28	8.3	6	
Moga . . .	41	36	45.7	1	..	2	..	7	8.9	..	
Patlipat . . .	64	45	36.6	5	8	6.5	3	
Pathankot . . .	34	39	60.0	1	..	2	..	3	4.6	..	
Rewari . . .	36	30	43.3	1	..	3	..	7	10.2	2	
Rohtak . . .	105	74	36.6	1	..	4	..	11	5.4	5	
Simla . . .	50	20	20.8	3	3.1	..	
Sonepat . . .	34	21	32.1	3	..	2	..	6	9.2	2	
TOTAL . . .	1474	1199	42.3	40	4	72	..	221	7.8	53	
Uttar Pradesh														
Agra . . .	375	428	59.3	1	5	63	..	104	14.4	27	
Allahabad . . .	349	180	27.0	2	..	22	..	54	8.1	15	
Amroha . . .	61	55	46.9	5	..	14	12.0	5	
Bahraich . . .	47	13	14.4	5	..	1	..	13	14.4	2	
Banaras . . .	383	243	33.0	..	2	..	43	4	40	..	157	21.3	47	
Ballia . . .	35	6	9.0	2	10	14.9	6	
Banda . . .	32	10	16.3	1	..	1	..	3	4.9	1	
Bareilly . . .	203	71	18.3	16	3	5	..	37	9.5	7	
Rijnor . . .	32	21	34.1	1	..	2	3.3	1	
Budaun . . .	54	30	29.0	3	..	2	..	6	5.8	1	
Basti†														
Bulandshahr†														
Chandausi . . .	41	30	38.0	2	..	1	..	8	10.1	3	
Dehra Dun . . .	146	60	41.4	..	2	..	2	..	5	..	20	7.1	6	
Etawah . . .	64	43	34.1	1	..	4	..	6	4.9	..	
Faizabad-Ayodhya . . .	88	36	21.3	2	1	9	5.3	2	
Farrukhabad-Fatehgarh . . .	82	57	36.1	..	1	..	3	..	8	..	14	8.9	2	
Ferozabad . . .	79	16	10.6	2	..	1	..	5	3.3	2	
Gazliabad . . .	46	27	30.5	2	2.3	..	
Gazipur . . .	36	16	23.2	7	2	1	..	14	20.3	..	
Gorakhpur . . .	140	89	33.1	7	2	8	..	22	8.2	5	
Gonda . . .	35	11	16.4	2	3.0	..	
Hapur . . .	49	56	59.4	2	1	1	..	8	8.5	1	
Hardwar . . .	64	36	29.3	11	1	2	..	20	16.3	4	
Hathras . . .	62	56	47.0	3	2	5	..	13	11.0	4	
Jaunpur . . .	56	30	28.0	3	..	3	..	12	11.2	1	
Jhansi . . .	116	80	36.0	18	1	1	..	29	13.1	6	
Kanpur . . .	734	351	25.0	102	18	42	5	283	2.00	77	
Kasganj . . .	34	10	15.4	4	4	6.1	..	
Khurja . . .	41	24	30.4	2	..	6	7.6	1	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimate may not be sufficiently reliable for calculating the birth and death rates.

† Figures are not available.

Explanation of symbols used :—B.—Births, B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D. D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M. D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information.

Birth and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 4th February, 1936—*contd.*

Deaths from:—

Town	Mid-year Popn. Estd. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	D.R.	M.D.	Total	D.R.*	I.D.
Uttar Pradesh—<i>contd.</i>													
Koll-Allgarh	150	63	21.9	5	2	3	..	18	6.3	3
Lucknow	494	291	30.6	19	12	32	2	143	15.1	39
Mathura	110	76	36.0	6	1	9	..	21	10.0	4
Mau-Nath Bhanjan	38	34	46.5	..	17	..	5	3	31	42.4	9
Meerut	185	98	27.5	3	..	11	..	22	6.2	3
Mirzapur- Vindhyachal	97	57	30.6	8	1	8	..	28	15.1	6
Moradabad	164	150	47.6	9	..	19	..	50	15.9	13
Muzaffarnagar	74	33	23.2	3	..	2	..	5	3.5	1
Pilibhit	45	20	23.2	3	5	5.8	2
Rampur†													
Saharanpur	162	102	32.7	22	1	2	..	33	10.6	11
Sambhal	65	48	38.4	2	..	9	..	22	17.6	10
Shahjahanpur	99	42	22.1	6	..	3	..	12	6.3	4
Sitapur	49	21	22.3	2	..	1	..	3	3.2	..
TOTAL	5,216	3,119	31.1	..	22	..	335	59	303	6	1,270	12.7	331
West Bengal													
Asansol†													
Baidyabati	33	15	23.8	1	3	4.8	2
Bally	66	4	3.2	2	1.6	..
Bankura	50	6	6.3	3	3.1	..
Bansberia†													
Baranagar	90	33	19.2	1	1	3	..	13	7.6	2
Basirhat	39	6	8.0
Berhampur	64	60	49.0	15	12.3	6
Bhadreshwar	34	9	13.8	1	1	6	9.2	2
Bhatpara	143	13	4.8	6	1	3	..	25	9.1	9
Budge-Budge	32	11	18.0	2	1	4	6.5	1
Burdwan	82	21	13.4	3	2	1	16	10.2	..
Calcutta	2984	1222	21.4	1	17	43	133	4	538	9.4	161
Campdani	41	14	17.9	1	..	7	8.9	..
Cooch-Behar†													
Darjeeling†													
English-Bazar	36	39	56.6	2	1	..	7	10.2	..
Graden Reach	124	17	7.2	1	..	8	3.4	3
Halisahar	41	5	6.4	2	2.6	..
Hoogly-Chinsurah	60	59	51.4	1	1	10	8.7	2
Howrah	477	227	24.9	6	10	29	..	99	10.9	30
Jalpaiguri	49	15	16.0	3	5	5.3	..
Kamarhati†													
Kanchrapara	7	7	4.9
Krishnagar	56
Midnapore	45	49	61.9	3	..	2	1	11	17.7	..
Nabadwip	70	29	21.7	7	1	1	1	14	10.5	1
Naihati	62	3	2.5	3	1	6	5.1	..
North Barrackpore	36	1	1.5	1	..	1	1.5	..
Panihati	65	2	1.6	1	0.8	..
Shantipur	49	15	16.0	6	6.4	..
Serampore	83	36	22.7	7	4.4	3
Siliguri†													
South Dum Dum	83	1	0.6	..
South Suburban	124	18	7.6	2	8	..	16	6.7	7
Titagarh	78	29	19.4	11	1	2	1	15	10.1	4
TOTAL	5270	1965	19.5	3	61	65	187	9	841	8.3	233

*In cases of towns where there has been an abnormal movement of population, it is likely that the Population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Birth ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fevers ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 4th February, 1956—*contd.*

Town	Mid-year Popn.-Est. (000)	B.	Deaths from :—										Total	D.R.*	I.D.
			B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.					
STATES—(Part B)															
Jammu & Kashmir			"N. R."												
Madhya Bharat															
Greater Gwalior	273	27	5·1	6	.	3	..	18	3·4	..		
Indore	368	262	37·0	..	1	..	12	2	10	2	62	8·8	15		
Ujjain	156	49	16·3	..	4	..	15	4	35	11·7	..		
Ratlam	73	19	13·5	4	..	20	14·3	3		
Mandsaur	41	8	10·1	2	2·5	1		
TOTAL	911	365	20·8	..	5	..	33	6	17	2	137	7·8	19		
Mysore															
Bangalore	973	427	22·8	4	24	50	..	149	8·0	..		
Mysore	294	95	16·8	17	4	2	..	57	10·1	..		
Kolar Gold Fields	173	48	14·4	3	1	8	2·4	..		
Davangere	69	25	18·8	2	6	4·5	..		
TOTAL	1509	595	20·5	26	29	52	..	220	7·6	..		
PEPSU															
Patiala City	111	106	49·7	12	..	4	..	40	20·6	16		
Malerkotla	34	31	47·4	3	3	4·6	..		
Bhatinda	39	35	41·7	2	3	4·1	..		
TOTAL	148	172	48·6	17	..	4	..	46	33·0	16		
Rajasthan															
Alwar†															
Bharatpur	38	64	87·6	4	5	6·8	1		
Bikaner†															
Churu	†	1	2	4	4·4	..		
Ganganagar	47	1	..	7	8·1	..		
Tonk	45	3		
Kotah	72	13	9·4	2	..	4	..	10	7·2	1		
Sikar†															
Jaipur†															
Udaipur†															
Jodhpur†															
TOTAL	202	77	19·8	10	2	5	..	26	6·7	3		
Hyderabad															
Aurangabad	73	10	7·1	1	..	4	2·8	..		
Bidar†															
Gulberga	90	46	26·6	3	..	6	..	16	9·2	..		
Hyderabad City	1,057	112	21·7	22	2	10	..	91	4·5	2		
Jalna†															
Kothagudiam	71	19	13·9	1	5	3·7	..		
Latur	41	1	..	1	1·3	..		
Nanded	80	15	9·8	6	6	3·9	..		
Nizamabad	67	11	8·5	1	4	3·1	..		
Parbhani†															
Raichur†															
Secunderabad City	162	148	47·5	4	..	30	9·6	8		
Warangal†															
TOTAL	1,641	691	21·9	32	3	22	..	157	5·0	10		

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :— B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); .. = Nil Information; "N.R." = Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 4th February, 1956--concl'd.

Town	Mid-year Popn. Est. (000)	Deaths from:—											D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total			
Saurashtra														
Bhavnagar†	.	.												
Dhoraji	.	.	47	26	28.8	4	..	9	10.0	..
Gondal	.	.	41	18	22.8	2	7	8.9	..
Amnagar	.	.	122	18	7.7	10	4	2	32	13.6	5
Unagadh	.	.	65	26	20.8	11	..	2	20	16.0	7
Morvi	.	.	43	11	13.3	2	3	3.6	..
Porbandar	.	.	64	63	51.2	17	1	2	36	29.2	16
Rajkot	.	.	167	59	18.4	13	1	9	31	9.6	12
Surendranagar	.	.	42	29	35.9	2	..	2	9	11.1	4
Veraval	.	.	46	4	4.5	3	6	6.8	
TOTAL	.	.	637	254	20.7	58	6	23	153	12.5	44

ARREAR RETURNS

Uttar Pradesh

Supplementary for w/e 6-8-55

Basti	37	8	11.2	..	1	1	1.4	..	
Bijnor	31	14	23.5	1	1	..	3	5.0	..	
Mau Nath Bhajan	37	36	50.6	..	2	..	3	1	10	14.1	3	
Rampur	154	6	2.0	

Supplementary for w/e 13-8-55

Basti	37	10	14.1	7	7	9.8	..	
Ballia	34	18	27.5	2	14	21.4	8	
Etawah	63	91	75.1	10	4	1	..	31	25.6	..	
Hapur	48	45	48.8	6	4	2	..	21	22.8	..	
Lucknow	485	465	50.0	15	4	20	..	127	13.6	..	
Rampur	154	6	2.0	1	..	2	..	4	1.3	..	

Supplementary for w/e 20-8-55

Basti	37	11	15.5	3	7	9.8	1	
Badaun	54	8	..	2	..	15	14.4	5	
Lucknow	485	395	42.4	21	15	29	..	166	17.8	67	
Rampur	154	7	2.4	6	2.0	1	

Supplementary for w/e 27-8-55

Basti	37	9	12.6	1	2	2.8	..	
Bijnor	31	15	25.2	1	1	..	4	6.7	1	
Etawah	63	78	64.4	12	2	2	..	31	25.6	12	
Mathura	108	146	70.3	9	1	1	..	20	9.6	..	
Rampur	154	6	2.0	

Madhya Pradesh

Supplementary for w/e 21-1-56

Nagpur	528	183	18.0	..	10	..	21	4	17	2	110	10.8	3	
Itarsi	30	20	34.7	1	1	4	6.9	2	

Bihar

Supplementary for w/e 21-1-56

Arrah	70	9	6.7	4	..	1	..	5	3.7	..	
Bihar	68	7	5.4	3	3	2.3	..	
Bettiah	38	3	4.1	1	1.4	..	
Bhagalpur	126	48	19.8	1	9	3.7	..	
Chapra†														
Darbhanga	93	20	11.2	3	1	10	5.6	..	
Dhanbad	41	8	10.2	3	3.8	..	
Dinapur	44	11	13.0	1	..	1	2	6	7.1	..	
Gaya	149	42	14.7	..	7	..	20	1	12	..	60	20.9	..	
Hazaribagh	39	11	14.7	12	2.7	..	
Jamalpur	47	5	5.5	2	2.2	..	
Jamshedpur	246	104	22.0	1	2	1	..	12	2.5	..	
Katihar	51	
Monghyr	80	8	5.2	2	1.3	..	
Muzaffarpur	84	43	26.6	10	..	1	..	22	13.6	..	
Patna	330	170	26.8	..	8	..	9	1	1	..	73	11.5	..	
Purnia	47	10	11.1	..	1	..	1	1	3	3.3	..	
Ranchi	130	21	8.4	5	9	3.6	1	
TOTAL	1,683	520	16.1	..	16	..	58	5	17	3	222	6.9	1	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.=Birth ; B.R.=Birth Rate ; C.=Cholera ; S.=Smallpox ; P.=Plague ; F.=Fever ; D.D.=Dysentery and Diarrhoea ; R.D.=Respiratory Diseases ; M.D.=Maternal Deaths ; D.R.=Death Rate ; I.D.=Infantile Deaths (included in total deaths) ; ..=Nil information ;

Births and Deaths from principle diseases in towns with a population of 30,000 and over in India for the week ending the 4th February 1956—contd.

Deaths from :—

Town	Mid year Popn. Est. (000)	B.	B.R* . C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.	I.D.
<i>Supplementary for w/e 21-2-56</i>												
Madras												
Ambur . . .	44	38	44.9	4	1	..	8	9.5	..
Aruppukottai . .	56	33	30.6	8	7	3	33	30.6	9
Bodinayakanur . .	40	20	26.0	1	2	10	13.0	2
Cannanore . . .	46	22	24.9	1	..	1	11	12.4	2
Chidambaram . .	39	28	37.3	..	1	..	2	1	..	24	32.0	10
Coimbatore . . .	234	212	47.1	2	13	13	97	21.6	25
Cuddalore . . .	74	50	35.1	1	4	19	13.4	6
Dindigul . . .	91	77	44.0	5	1	2	25	14.3	5
Brode . . .	67	97	75.3	1	1	1	21	16.3	5
Gobichetty Palayan	38	10	13.7	1	3	4.1	..
Guddiyattam . .	53	20	19.6	2	6	11	10.8	2
Kancheepuram . .	90	70	40.4	1	2	14	40	23.1	11
Karaikudi . . .	44	26	30.7	2	2	..	12	14.2	4
Karur . . .	50	35	36.4	1	..	2	15	15.6	4
Kozhikode . . .	176	204	60.3	4	1	6	63	18.6	10
Kumbakonam . .	105	77	38.1	3	1	3	27	13.4	6
Madras . . .	1703	1337	40.8	94	131	197	823	25.1	235
Mangalore . . .	136	71	27.1	1	..	4	21	8.0	5
Mathurai . . .	427	481	58.6	11	14	41	239	29.1	64
Mayuram . . .	49	32	34.0	1	22	23.3	6
Nolapalayam . .	40	10	13.0	1	2	1	10	13.0	4
Nagapattinam . .	61	56	47.7	2	5	1	28	23.9	6
Ottacamund . .	48	39	42.2	3	10	10.8	3
Palni . . .	40	21	27.3	1	..	6	7.8	1
Palayamkottai†												
Palghat . . .	77	44	29.7	1	..	5	19	12.8	4
Periyakulam . .	34	47	71.9	3	2	3	17	26.0	5
Pollachi . . .	51	32	32.6	2	1	13	13.3	6
Pudukottai . . .	50	65	67.6	2	7	2	28	29.1	5
Rajapalayam . .	69	42	31.7	7	2	23	17.3	4
Salom . . .	241	164	35.4	7	5	13	59	12.7	3
Srirangam . . .	42	22	27.2	1	1	3	20	24.8	4
Srivilliputtur . .	44	18	21.3	5	4	1	23	27.2	5
Tanjore . . .	118	77	33.9	3	2	1	45	19.8	14
Tellicherry . . .	42	20	24.8	1	18	9.9	1
Tiruchirapalli . .	251	191	39.6	3	6	11	84	17.4	18
Tirunelveli . . .	80	67	43.6	4	4	24	15.6	9
Tiruppur . . .	63	63	52.0	1	2	19	15.7	6
Tiruvannamalai . .	45	26	30.0	..	1	..	7	4	5	23	26.8	4
Tuticorin . . .	111	60	28.1	9	12	53	24.8	18
Vanliyambadi . .	43	31	37.5	2	..	1	14	16.9	8
Vellore . . .	124	100	41.9	1	19	51	21.4	14
Villupuram . . .	39	18	24.0	1	1	10	13.3	2
Virudunagaram . .	53	43	42.2	1	2	1	12	11.8	6
TOTAL . . .	5,328	4,196	41.0	..	2	..	164	248	395	2,123	20.7	561
Madhya Bharat												
<i>Supplementary for week ending 14-1-56</i>												
Greater Gwalior . .	273	260	49.5	3	..	4	26	5.0	1
Indore . . .	368	160	22.6	16	2	10	80	11.3	28
Ujjain . . .	156	40	13.3	9	1	..	44	14.7	..
Ratlam . . .	73	19	13.5	4	2	2	19	13.5	2
Mandsaur . . .	41	14	17.8
TOTAL . . .	911	493	28.1	32	5	16	169	9.6	31

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B=Births; B. R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fever; D.D.=Dysentery and *Diarrhoea; R. D.=Respiratory Diseases; M. D.=Maternal Deaths; D. R.=Death Rate; I. D.=Infantile Deaths (included in total deaths; ..Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 4th February, 1956—*contd.*

Deaths from 1—

Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Madhya Pradesh		<i>Supplementary for week ending 14-1-56</i>											
Itarsi	30	15	26.0	1	3	5.2	2
Madhya Bharat		<i>Supplementary for week ending 28-1-56</i>											
Greater Gwalior	273	31	5.9	4	15	2.9	..
Indore	368	253	53.9	12	..	10	1	69	10.1	22
Ujjain	156	50	16.7	..	5	..	4	2	..	1	36	12.0	1
Ratlam	73	24	17.1	3	1	3	..	14	10.0	..
Mandsaur	41	12	15.2	2	2.5	..
TOTAL	911	350	19.9	..	5	..	23	3	13	2	136	7.8	23
Madras		<i>Supplementary for week ending 28-1-56</i>											
Ambur	44	32	37.8	2	2	..	9	10.6	4
Aruppukottai	56	54	50.1	7	1	1	..	17	15.8	5
Bodinayakanur†
Cannanore	46	36	40.7	1	..	3	..	12	13.6	4
Chidambaram	39	32	42.7	1	..	7	9.3	3
Coimbatore	234	231	51.3	5	18	..	67	14.9	25
Cuddalore	74	72	50.6	1	2	1	1	30	21.1	8
Dindigul	91	47	26.9	1	6	28	16.0	4
Erode	67	23	17.9	1	2	5	1	17	13.2	6
Gobichetty Palayam	38	8	10.9	1	4	5.5	1
Guddiyattam	53	17	16.7	1	1	6	..	15	14.7	2
Kancheepuram	90	48	27.7	1	2	12	..	28	16.2	6
Karaikudi	44	26	30.7	2	2	16	18.9	3
Karur	50	31	32.2	1	1	1	..	18	18.7	7
Kozhikode	176	204	60.3	3	1	6	..	48	14.2	13
Kumbakonam	105	74	36.6	2	1	29	14.4	6
Madras	1703	937	28.6	..	1	..	80	101	168	1	694	21.2	177
Mangalore	136	55	21.0	2	..	4	1	28	10.7	5
Mathurai	427	295	35.9	10	17	42	2	195	23.7	48
Mayuram	49	40	42.4	21	22.3	4
Melapalayam	40	9	11.7	3	3.9	2
Nagapattinam	61	41	35.0	1	1	2	..	17	14.5	1
Ottacamund	48	41	44.4	2	..	12	13.0	5
Palni	40	29	37.7	1	3	3	..	14	18.2	2
Palayamkottai	45	53	61.2	15	17.3	3
Palghat	77	45	30.4	1	..	4	..	18	12.2	3
Periyakulam	34	16	24.5	2	1	..	16	24.5	6
Pollachi	51	39	39.8	2	2	..	15	15.3	7
Pudukottai	50	52	54.1	2	4	5	..	36	37.4	10
Rajapalayam]	69	33	24.9	5	5	..	24	18.1	6
Salem	241	151	32.6	4	7	6	..	59	12.7	10
Srirangam	42	5	6.2	5	..	11	13.6	3
Srivilliputtur	44	41	48.5	7	2	3	..	25	29.5	4
Tanjore	118	90	39.7	5	..	3	..	28	12.3	5
Tellicherry	42	41	50.8	2	1	9	11.1	2
Tiruchirappalli	251	90	18.6	3	7	15	..	60	12.4	9
Tirunelveli	80	60	39.0	4	2	..	27	17.6	12
Tiruppur	63	51	42.1	3	3	..	14	11.6	1
Tiruvannamalai	45	35	40.4	2	1	1	..	13	15.0	6
Tuticorin	111	88	41.2	2	9	10	3	54	25.3	16
Vaniyambadi	43	33	39.9	3	11	13.3	..
Vellore	124	116	48.6	3	10	1	61	25.5	13
Villupuram	39	37	49.3	1	1	1	..	7	9.3	2
Virudhunagar	53	32	31.4	4	1	5	..	24	23.5	2
TOTAL	5333	3490	34.0	..	1	..	149	199	360	13	1856	18.1	466

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births; B. R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D. D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 4th February, 1956—*contd.*

Deaths from :—

Town	Mid.-year Popn.-Est. (000)	B.	B. R.	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.	I.D.
Bihar		<i>Supplementary For w/e 28-1-56</i>											
Arrah . . .	70	20	14.9	7	10	7.4	..
Bettiah . . .	38	15	20.5	2	2.7	..
Bhagalpur . . .	126	50	20.6	2	16	6.6	..
Bihar . . .	68	20	15.3	1	7	5.4	..
Chapra . . .	69	38	28.6	1	13	9.8	4
Darbhanga . . .	93	14	7.8	3	6	3.4	..
Dhanbad . . .	41	11	14.0	4	5.1	..
Dinapur . . .	44	7	8.3	1	2	5	5.9	..
Gaya . . .	149	27	9.4	..	1	..	22	..	7	1	46	16.1	..
Hazaribagh . . .	39	12	16.0	3	4.0	..
Jamalpur . . .	47	5	4.5
Jamshedpur . . .	246	113	23.9	1	7	1.5	3
Katihar . . .	51
Monghyr . . .	80	5	3.3	1	..	6	3.9	..
Muzaffarpur . . .	84	17	10.5	1	..	1	..	17	10.5	..
Patna . . .	330	142	22.4	..	7	..	4	1	2	..	41	6.5	..
Purulia . . .	47	6	6.6	1	2	2.2	..
Ranchi . . .	130	21	8.4	5	1	14	5.6	2
TOTAL . . .	1752	523	15.5	..	8	..	47	2	12	4	199	5.9	10
Orissa		<i>Supplementary for w/e 28-1-56</i>											
Puri . . .	53	37	36.3	8	5	2	..	32	31.4	5
Madhya Pradesh]		<i>Supplementary w/e for 3-12-1955</i>											
Nagpur . . .	528	186	18.3	..	6	..	11	4	16	2	79	7.8	..
Kamptee . . .	36	16	23.1	3	6	8.7	..
Raigarh . . .	35	15	22.3	3	4.5	..
West Bengal		<i>Supplementary for w/e 28-1-56</i>											
Baidyabati . . .	33	8	12.7	2	3.2	..
Bally . . .	66	6	4.7	5	4.0	..
Bankura . . .	50	4	4.2	1	1.0	..
Baranagar . . .	90	27	15.7	2	2	..	14	8.1	..
Basirhat . . .	39	8	10.7	2	2.7	..
Behrampur . . .	64	81	66.8	3	1	11	9.0	..
Bhadreshwar . . .	34	6	9.2	1	2	..	7	10.7	..
Bhatpara . . .	143	35	12.7	7	5	5	1	38	13.9	9
Budge-Budge . . .	32	13	21.1	1	2	2	..	5	8.1	2
Burdwan . . .	82	29	18.4	2	..	7	4.4	..
Calcutta . . .	2,984	1,213	21.1	20	53	150	2	590	10.3	161
Champdani . . .	41	15	19.1	3	3.8	..
English-Bazar . . .	36	3	4.4	1	1	1.4	..
Garden Reach . . .	124	16	6.7	2	..	2	..	9	3.8	3
Halisahar . . .	41	2	2.6
Hooghly-Chinsurah . . .	60	80	69.3	3	1	3	..	17	14.8	3
Howrah . . .	477	218	23.9	4	7	35	..	98	10.7	36
Kanchrapara . . .	74	22	15.5	1	0.7	..
Krishnanagar . . .	56	3	2.8	1	0.9	..
Midnapore . . .	45	38	43.9	2	..	9	10.4	..
Nabadwip . . .	70	46	34.2	8	..	1	..	9	6.7	1
North Barrackpore . . .	36	7	10.2	1	1	10.4	..
Panipati . . .	65	5	4.0
Santipur . . .	49	13	13.8	1	5	5.3	2

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.=Births; B.R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fever; D.D.=Dysentery and Diarrhoea; R.D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rate; I.D.=Infantile Deaths (included in total deaths); ..=Nil information. "N.R."=Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 4th February, 1956—*concl'd.*

Town	Mid-year Popn. Estd. (000)	Deaths from :—											D.R.*	I.D
		B.	B.R. *								Total			
				C.	S.	P.	F.	D.D.	R.D.	M.D.				
West Bengal—contd.														
Serampore	83	26	16.4	3	..	4	..	15	9.4	5	
South Dum Dum . . .	83	1	0.6	
South Suburban . . .	124	5	2.1	4	2	..	13	5.5	4	
Titagarh	78	21	14.1	11	3	..	1	16	10.7	2	
TOTAL	5,159	1,951	19.7	3	60	81	212	4	880	8.9	232	
Delhi State														
Supplementary for w/e 28-1-56														
Delhi City	1,124	311	14.4	33	2	44	1	120	5.6	38	
New Delhi	374	172	23.9	4	..	8	1	73	10.1	25	
N.A.C. Civil Station, Delhi	117	87	38.7	..	1	..	1	1	6	..	18	8.0	4	
Delhi Cantt.	50	56	58.2	1	..	3	..	5	5.2	..	
Delhi Shahdara	53	36	35.3	2	..	2	2.0	1	
TOTAL	1,718	662	20.0	..	1	..	39	3	63	2	218	6.6	68	
Punjab (I)														
Supplementary for w/e 28-1-56														
Moga	41	24	33.6	1	..	3	..	4	5.1	1	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Birth ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fevers ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (including total deaths) ; ..—Nil information ;

REMARKS

The figures of births and deaths shown in this statement for week ending the 4th February, 1956, relate to 194 towns with an estimated population of 29,416 thousands. The total number of towns is 313 and their population is 41,203 thousands. Thus 62% of the total number of towns representing 71% of the total population is covered in this statement. The number of births and deaths recorded in these towns were 15,667 and 5,973 representing birth and death rates of 27.7 and 10.6 per thousand of population respectively.

(a) *States (Part A and C).*—The data here relate to 161 towns with an estimated population of 24,332 thousands. Information about Ajmer, Bihar and Madras could not be included. The total number of towns is 251 and their population is 33,402 thousands. Thus 64% of the total number of towns representing 73% of the total

population is covered. The number of births and deaths recorded in these towns were 13,513 and 5,234 representing birth rates and death rates of 28.9 and 11.2 per thousand of population respectively. The table at the end gives the position by States.

No town recorded a high death rate of 50 or over per thousand of population.

(b) *States (Part B).*—The data here relate to 33 towns with an estimated population of 5,084 thousands. The total number of towns is 62 and their population is 7,801 thousands. Thus 53% of the total number of towns representing 65% of the total population is covered. The number of births and deaths recorded in these towns were 2,154 and 739 representing birth and death rates of 22.0 and 7.6 per thousand of population respectively. No town recorded a high death rate of 50 or over per thousand of population.

States	Current w/e 4-2-56		Corresponding w/e last year		Corresponding mean during the previous 5-year period	
	B.R.	D.R.	B.R.	D.R.	B.R.	D.R.
Andhra . . .	37.7	16.7	31.9	16.1	†	†
Bombay . . .	29.9	12.1	28.4	11.4	28.1	15.5
Delhi . . .	28.1	9.6	30.7	8.3	31.2	8.4
Madhya Pradesh .	22.1	9.6	22.1	9.1	29.4	15.9
Orissa . . .	60.6	16.3	46.7	18.9	42.4	23.3
Punjab (I) . . .	42.3	7.8	42.2	7.8	34.3	9.5
U. P. . . .	31.1	12.7	29.8	12.2	30.9	15.0
West Bengal . . .	19.5	8.3	17.0	9.4	16.5	13.3
*India . . .	28.9	11.2	30.9	13.2	31.4	16.1

*7 Part "A" States and 1 Part "C" State.

† Figures not available.

NEW DELHI-2 (INDIA) ;

The 28th February, 1956. }

K. MITRA,
for Registrar General, India.